

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3023	(370/229-235.cds.) and (drop \$4 disabl\$3 discard\$3 deny\$3 denied) with (packet frame stream)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 10:56
L2	213	(370/229-235.cds.) and (drop \$4 discard\$3 deny\$3 denied) with (packet frame stream) with (flag\$3 tag\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 10:57
L3	142	2 and (@ad<="20021111" @riad<="20021111")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 10:58
L4	43	3 and ((max maximum) near5 rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 11:15
L5	25	4 and protocol and (rate with (packet frame stream))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 11:17
L6	21	4 and ((packet frame stream) with priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 11:18
L7	1	6 and ((statistic\$5 near5 information) same (drop\$4 discard\$3 disabl\$3 denied deny \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 13:39
L8	1	4 and ((statistic\$5 near5 information) same (drop\$4 discard\$3 disabl\$3 denied deny \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 13:41

L9	8	6 and ((table) with (drop\$4 discard\$3 disabl\$3 denied deny \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 13:43
L13	0	6 and ((table) with (average\$3 near5 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 15:26
L14	10	6 and (average\$3 with rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 15:28
L15	0	6 and (average\$3 with rate with (sav\$3 storage memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 15:30
L16	1	4 and (average\$3 with rate with (sav\$3 storage memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 15:30
L17	19	4 and (real\$time (real adj2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 15:32
L18	0	16 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 15:32
L19	1	17 and (average\$3 with rate) same (sav\$3 storage memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 15:33
S1	757	(router gateway switch hub (access\$3 near2 point)) with rate near2 measur\$5 and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:07

S2	1158	(router gateway switch hub with (rate near2 (measur\$6 calculat\$4)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:04
S3	1	S1 and (drop\$4 disabl\$3 discard\$3 deny\$3 denied) with (burst\$3 near\$3 packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:11
S4	1	S1 and (drop\$4 disabl\$3 discard\$3 deny\$3 denied) with ((burst\$3 high-rate\$3) near\$3 packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:23
S5	28	S1 and (drop\$4 disabl\$3 discard\$3 deny\$3 denied) near10 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:24
S6	3	S2 and (drop\$4 disabl\$3 discard\$3 deny\$3 denied) with ((burst\$3 high-rate\$3) near\$5 packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 17:26
S7	54	S2 and (drop\$4 disabl\$3 discard\$3 deny\$3 denied) near10 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 17:12
S8	100	(node near\$5 (measur\$6 calculat\$4) near\$5 (packet data) near\$5 rate) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 17:16
S9	31	S8 and ((disabl\$3 discard\$3 drop\$4) near\$8 (packet data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 17:20
S10	136	(router gateway switch hub node) with (rate near2 (measur\$6 calculat\$4) near\$3 (unit part section element means)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:28

S11	20	S10 and ("370"/\$ ccls. "709"/\$ ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 10:22
S12	15	S11 not (error near rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:33
S13	2	"20030095567".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:36
S15	1	"703629".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:36
S16	1754	(drop\$4 disabl\$3 discard\$3 deny\$3 denied) near8 (tcp udp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 09:21
S17	88	(drop\$4 disabl\$3 discard\$3 deny\$3 denied) near8 (tcp udp) and tcp and udp and rtp and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 17:38
S18	10	(drop\$4 disabl\$3 discard\$3 deny\$3 denied) near8 (tcp udp) same tcp same udp same rtp and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 18:08
S20	2	"20040066746".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 10:27
S21	25	((identif\$7 recogniz\$4 determin\$5) near10 protocol) same congestion same transi\$5 near2 rate and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:34

S22	48	((identif\$7 recogniz\$4 determin\$5 prioritiz\$5) near5 protocol) same ((identif\$7 recogniz\$4 determin\$5 calculat\$4) near5 (transmi\$5 near2 rate)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 10:56
S23	422	((identif\$7 recogniz\$4 determin\$5 prioritiz\$5) near5 protocol) same ((identif\$7 recogniz\$4 determin\$5 calculat\$4) near5 rate) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:05
S24	18	S23 and (RTP and TCP and UDP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 10:57
S25	2424	((identif\$7 recogniz\$4 determin\$5 prioritiz\$5) near5 ((protocol near2 type) transport)) and ((identif\$7 recogniz\$4 determin\$5 calculat\$4) near5 rate) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:10
S26	699	((identif\$7 recogniz\$4 determin\$5 prioritiz\$5) near5 ((protocol near2 type) transport)) same ((identif\$7 recogniz\$4 determin\$5 calculat\$4) near5 rate) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:13
S27	9	S26 and UDP and TCP and RTP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:10
S28	141	((identif\$7 recogniz\$4 determin\$5 calculat\$4) near5 rate) and ((stop\$4 block\$3 drop\$4 disabl\$3) near5 (burst\$5 near2 (data packet traffic))) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:20
S30	7	S28 and (UDP and RTP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:24
S31	16	((identif\$7 recogniz\$4 determin\$5 calculat\$4) with rate) and ((stop\$4 block\$3 drop\$4 disabl\$3) with (bursty near8 packet)) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:32

S32	2	"5631935".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:32
S33	0	((identif\$7 recogniz\$4 determin\$5) with (transport near2 layer)) same congestion same transmi\$5 near2 rate and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:35
S34	4	((identif\$7 recogniz\$4 determin\$5) with (transport near2 layer)) same transmi\$5 near2 rate and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:41
S35	2	((identif\$7 recogniz\$4 determin\$5) with (transport near2 layer)) same ((measur\$5 calculat\$5) near2 rate) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:48
S36	7	((identif\$7 recogniz\$4 determin\$5) with (packet near5 protocol) same ((measur\$5 calculat\$5) near2 rate) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:47
S37	145	((identif\$7 recogniz\$4 determin\$5) with (packet near5 protocol) and ((measur\$5 calculat\$5) near2 rate) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:47
S38	67	((identif\$7 recogniz\$4 determin\$5) with (transport near2 layer)) and ((measur\$5 calculat\$5) near2 rate) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:48
S39	11	S38 and UDP and RTP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 14:01
S40	17	S37 and UDP and RTP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 14:03

S41	48	((measur\$5 near2 rate) same ((drop\$4 disabl\$3 stop\$4 block \$3) near3 packet) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 16:00
S42	6	((packet flow data) near3 (identif\$7 recogni\$8) same (rate near2 measur\$5) and (transport near2 layer) and @ay<="2002"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 16:03
S43	11	((packet flow data) near3 (identif\$7 recogni\$8) same (rate near2 measur\$5) and (transport near2 layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/24 16:03
S44	1	"20040066746".pn. and priority and (disabl\$3 discard\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 17:57
S45	1	10/703629	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/14 15:15
S46	2	("5311513", "6064651").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/09/14 15:33
S47	66	(370/455,229-235,230.1,253,310.ccls.) and (drop\$4 disabl\$3 discard\$3 deny\$3 denied) with (burst\$3 near3 packet) with (packet frame flow cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/15 08:58

3/ 1/ 2009 4:01:40 PM

C:\Documents and Settings\akasraian\My Documents\EAST\Workspaces\10703629_router_04.wsp